



## Department of Energy

ROCKY FLATS OFFICE  
P O BOX 928  
GOLDEN COLORADO 80402 0928

SEP 05 1991

Mr. Martin Hestmark  
U. S. Environmental Protection Agency, Region VIII  
ATTN: Rocky Flats Project Manager, 8HWM-RI  
999 18th Street, Suite 500, 8 WM-C  
Denver, Colorado 80202-2405

7182-DOE-91

Mr Gary Baughman  
Hazardous Waste Facilities Unit Leader  
Colorado Department of Health  
4210 East 11th Avenue  
Denver, Colorado 80220

Gentlemen:

We are transmitting the revised Final Treatability Studies Plan (TSP), dated August 26, 1991 for your review and approval as a result of your July 18, 1991 letter requesting resubmittal of the entire document rather than the pages that were changed. In addition, subsequent agreements were made to replace the one-time Treatability Study Report due in 1993 with an annual Treatability Report that will be submitted by the end of April in each year that the treatability study program continues. Although the tentative schedules contained in the TSP only run into 1994, it is expected that the treatability studies program will continue until the feasibility study for the final Operable Unit is initiated. The first annual TSP Report will better define the duration of the TSP program.

A combined workplan for the first two treatability studies to be conducted include the TRU Clean process and magnetic separation for radionuclides in soils and sediments. We expect to submit this workplan to you for review by the end of November 1991. Implementation of the treatability studies for this workplan is expected to occur the second quarter of FY 92. Workplans for the oxidation/reduction for metals/radionuclides in water and ultrafiltration/microfiltration for radionuclides in water are expected to be submitted by the end of January 1992. Implementation of the treatability studies for these workplans is expected to occur in the third quarter of FY 92. The first annual TSP Report will address the schedules for the remaining technology workplans.

**ADMIN RECORD**


A-SW-000147

Mr Hestmark  
Mr Baughman

2

Should you have any questions, please feel free to contact Scott Grace of my staff at 966-7199

Sincerely,

  
David P. Simonson,  
Assistant Manager  
for Environmental Management

Enclosure

cc w/o Enclosure  
A. Rampertaap, EM-45  
E Evered, EG&G/RF  
T. Greengard, EG&G/RF  
O. Erlich, EG&G/RF  
O. Duran, EPA  
N. Matsuura, CDH